

# POWER AND MOTION CONTROL

**WWW.SERVI.NO** 



# POWER AND MOTION CONTROL

COMPONENTS
SYSTEMS
ENGINEERING
SERVICE AND MAINTENANCE

available 24/7 +47 64 97 97 00

## CONTENTS

ABOUT SERVI	6
YOUR GLOBAL PARTNER	8
OWNED BY FERD	9
APPLICATIONS	10
HYDRAULICS - MODELING AND SIMULATION	12
HYDRAULICS - MANUFACTURING CAPABILITIES	13
HYDRAULICS - VALVES AND VALVE BLOCKS	14
HYDRAULICS - CYLINDERS	16
HYDRAULICS - ACCUMULATORS	20
HYDRAULICS - OVERHAUL OF CYLINDERS AND ACCUMULATORS	21
HYDRAULICS - ABSORBERS	22
HYDRAULICS - POWER UNITS	24
HYDRAULICS - SERVICE, MAINTENANCE AND TESTING	28
HYDRAULICS - LABORATORY SERVICES AND MONITORING	30
HYDRAULICS - COMPONENTS	32
PNEUMATICS	40
VACUUM	44
SLIDING BEARINGS	46
ELECTROMECHANICS	48
WIPER SYSTEMS FOR MARINE AND OFFSHORE USE	50
TEST EQUIPMENT FOR THE CONSTRUCTION INDUSTRY	52
INDUSTRIAL VIBRATORS	53
CONTACT INFORMATION	55



## 100 YEARS OF EXPERIENCE IN POWER AND MOTION CONTROL

This brochure will give you an overview of Servi's delivery program.



- HYDRAULICS
- PNEUMATICS
- ELECTROMECHANICS
- SLIDING BEARINGS
- TEST EQUIPMENT
- MARINE WIPER SYSTEMS

## **ABOUT SERVI**

Servi has comprehensive knowledge and expertise within Power and Motion Control, focused on in-house design and production of valves, valve blocks, cylinders, accumulators and HPUs.

In combination with a range of products from the world's leading suppliers of pumps, motors and valves, Servi offers quality components, complete turnkey solutions, service and maintenance.




Bjørn Arne Gundersen / CEO Servi Group **SERVI GROUP** MNOK € M. 1000-105 **SERVI AS** 85 855 MNOK 800 € 94 м. € 90 м. 65 € 86 м. € 81 м. SERVI, Poland 600 45 € 66 м. 400 SERVI ULSTEINVIK AS 25 200 15 SERVI HYDRAULIK AB 2012 2013 2014 2015 2016

With headquarters in Norway, a subsidiary in Gothenburg/Sweden, workshop in Poland and service partners in England, US, Brazil, Singapore, and South-Africa, Servi has a truly global footprint within Power and Motion Control.

Servi is Norway's largest supplier and manufacturer of hydraulic equipment. In addition, we supply pneumatic systems, electromechanics, bearings, wiper systems and test equipment.

#### **OUR HISTORY**





#### **SERVI AS**

(Ski, Tønsberg, Kongsberg, Kristiansand, Bergen, Trondheim, Rissa, Gdansk/Poland)

#### **SERVI ULSTEINVIK AS**

(Ulsteinvik, Ålesund)


#### **SERVI HYDRAULIK AB**

(Gothenburg/Sweden)

For more details about our branches - www.servi.no

## YOUR GLOBAL PARTNER

You can reach all our offices by calling +47 64 97 97 97, or by emailing post@servi.no.



### **OWNED BY**



FERD is a family-owned Norwegian industrial and financial group that is an active and long-term owner of strong companies with international potential and carries out financial activities through investments in a broad range of asset classes. In addition to the group's purely commercial activities, Ferd has an extensive involvement in social entrepreneurship. Read more at www.ferd.no



Johan H. Andresen Owner and Chairman of the board

Some of the companies in the Ferd Capital portfolio:













## POWER AND MOTION CONTROL

Servi is a supplier of components, solutions and services for the following applications:



#### SUBSEA

#### ROV WOCS

Connection systems
Compensation systems
Subsea trees
Umbilical winches
Subsea tooling systems

OFFSHORE/SUBSEA

Compensation systems Anchor handling winches Telescopic gangways

Cranes
AHC cranes
Roughnecks
Torque wrenches
Barrier pumps

Top drive Swivel systems Oil recovery systems Moon pool systems Drill pipe handling systems

Fairlead Finger boards Mud handling



#### MARINE/FISHERIES

Thruster solutions
Cranes
AHC cranes
Hatch covers
Anchor handling systems
Cargo handling
Ramp systems
Dredging systems
Davit systems

Oil recovery
Trawl and net winches
Mooring and anchor winches
Multi handling winches
On and off loading systems
Towing winch systems
Seismic winches
A-frame systems



#### ENERGY

Hydropower - Hatches

Hydropower - Servo/valve systems

Hydropower - Gate controls

Hydropower - Turbine controls


Hydropower - Lube oil systems

Wind power - Pitch systems

Wind power - Brake systems

Wind power - Lubrication systems

Wave power - Energy transferring



## FOR ALL APPLICATIONS



#### **DEFENCE**

NAMSAMS - air defence systems Radar stations MTB-Missile Torpedo Boats Mine sweepers Hangar doors Winches for retraction of planes Battle testing equipment



#### MOBILE

Mobile crane systems
Lifting systems
Basket systems
Tunnel rigs
Railing rigs
Waste compactors



#### **INDUSTRY**

Heavy industry
Paper and timber industry
Processing and food industry
Metal industry
Machine building industry



#### **CONSTRUCTION INDUSTRY**

Cranes
Bridges
Building Industry
Railway equipment
Working platforms
Tunnel drilling
Concrete industry
Airport equipment
Waste Industry

## MODELING AND SIMULATION OF HYDRAULIC SYSTEMS



Automotive Audi, BMW, Daimler, Ford Honda, Porsche, VW Marine & Shipbuilding BV, Caterpillar, DNV, GL, Stromag, STX, Vulkan





**Heavy Machinery** CNH, Hitachi, Komatsu MHI, Liebherr, Putzmeister



Visualize the solution - Remove the risk



Cameron, NOV, TTS





Industrial Machinery Anca Motion, Ferromatik, Husky, Schuler, ThyssenKrupp








Energy ABB, Air Liquide, Aquamarine, Power, Siemens, Total



SIMULATION X is an interdisciplinary, multi-domain simulation tool for the functional design, modeling and analysis of complex technical systems on a single platform

#### IN-HOUSE PRODUCTION

## MANUFACTURING CAPABILITIES












### COMPREHENSIVE ASSEMBLY OF MACHINERY INCLUDING FACILITIES FOR SANDBLASTING AND PAINTING

We are very proud to present our brand new and modern workshop and assembly of machinery. This enables us to achieve the highest product quality according to most standards and customer requirements - in new design and production, as well as overhauls and modifications. Try us on your next project - you won't regret it!

## PROPORTIONAL VALVES, SECTION OR PLATE MOUNTED





#### **PROPORTIONAL SECTION VALVE**

HSV600, section mounted, pressure compensated valve, with electromechanic and/or manual controls. HSV600 has a maximum oil flow of 600 lpm per section.

Individual pressure control for A and B ports. Supplied for use in ATEX zone 1.

The valve is particularly well suited for marine and offshore purposes and can also be supplied with LVDT for slide positioning and closed loop applications.

The valve can be combined with HAWE PSL valves, sizes 3 (100 lpm) and 5 (230 lpm).

## PROPORTIONAL VALVES, SECTION OR PLATE MOUNTED, WITH INTEGRATED ELECTRONICS -

For control of HAWE proportional valves types PSV(F) 3, 5 or 7, as well as Servi proportional section valve type HSV 600.

A digital control card for analog (4-20 mA or 0-10 V) or Profibus control signal is integrated in the system.

#### Features:

- ATEX for use in zone 1
- Feedback on slide positioning (LVDT)
- Deadband compensation
- Temperatures from -40°C to 55°C
- Protection degree IP 67
- Separate entry point for external closed circuit


Can also be supplied with LVDT but without the integrated control card.

#### MANUFACTURER

Servi (Hydranor)

## VALVE BLOCKS





#### **HIGH-FLOW VALVE BLOCKS**

Servi is the largest manufacturer of valves and valve blocks in Norway. We represent long traditions and have modern production facilities in Kongsberg, Norway.

#### **PRODUCT RANGE**

- Flow up to 10.000 lpm
- Maximum working pressure 760 bar
- On/off functionality
- Proportional pressure and flow control
- Multifunctional winch blocks for hydraulic motors

#### Materials:

- Cast iron GJS-400-15
- Seawater resistant aluminum AW-6082-T
- Carbon steel
- Acid proof steel 304, 316

#### **PAINTING AND TESTING**

Valve blocks can be painted according to customer requirements.

All blocks are 100 % statically and dynamically tested according to customer specifications.

#### **MANUFACTURER**

## STANDARD CYLINDERS



#### SERVI'S CYLINDER FACTORY IN RISSA STAR-TED MANUFACTURING CYLINDERS IN 1956

Right from the start, our products have been used in some of the world's roughest climates and in highly demanding conditions. In order to meet the quality requirements our customers expect, we are continually working to develop our products further. Our customers are found within the offshore, marine/shipping, hydropower, smelting and general industry sectors.

We have a state-of-the art surface treatment facility and offer all kinds of surface treatment (painting). We deliver all necessary documentation, ranging from single certificates to complex documentation packages. Servi's cylinder factory was ISO-9001 certified in 1993.

#### **APPROVALS AND CERTIFICATES**

- Type approval certificate for hydraulic cylinders up to Ø700 mm
- Manufacturing Survey Arrangement: MSA NO R-3457
- EC Type certificate: DNV-2007 OSL-ATEX-3520X, rev 2.

#### STANDARD CYLINDERS

Servi offers a wide range of standard hydraulic cylinders with piston diameters ranging from Ø32 mm to Ø400 mm and stroke length up to 20 m depending on dimension and design. These are all available with various interfaces as standard.


Our CD25 cylinder is certified by DnV for pressures up to 250 bar depending on stroke length. It is designed for harsh offshore and marine environments, but is also suitable for industrial applications. An extra rod seal groove in the stuffing box also makes it suitable for subsea use.

You can design your own CD25 using our online drawing tool - www.servicatalogue.com

We deliver cylinders with ABS, DNV-GL, Lloyds, BV and other approvals on request.

#### **MANUFACTURER**

## CUSTOM MADE CYLINDERS



#### **SPECIAL CYLINDERS**

We manufacture cylinders for a variety of purposes within offshore, hydropower, marine/shipping, subsea and land based industry applications. Our range covers cylinders of various designs, dimensions, pressure categories, materials, integrated valves and sensors, and also includes servo motors for water turbines, as well as tension cylinders for risers on floating platforms.

We supply special cylinders with piston diameters  $\emptyset$  20–1500mm, stroke lengths up to 20 m depending on dimension and pressures up to 1000 bar. We also supply customised solutions with valve blocks or manifolds integrated or mounted on cylinders - both black and stainless steel finishes. Max total weight of 32 T lifting capacity.

Servi strives to work as closely with the customer as possible to be able to meet their exact needs and requirements.

#### **TELESCOPIC CYLINDERS**

We design and manufacture telescopic cylinders for any purpose.

#### SINGLE OPERATED/PLUNGER CYLINDERS

We have long experience in supplying plunger cylinders for lifting of bow ports, ramps, ferry berths etc.

We deliver cylinders with ABS, DNV-GL, Lloyds, BV and other approvals on request.

#### **MANUFACTURER**

### HYBRID CYLINDERS



#### **EHA - ELECTRO HYDROSTATIC ACTUATOR**

A combination of electric and hydraulic actuation. Uses a hydraulic pump and an electrical motor mounted on a hydraulic cylinder. Lifting capasity 300 kN.

- High force density
- Energy efficiency
- Environmental cleanliness
- Same interface as a standard hydraulic or electric linear actuator

Unlike an electric actuator, Servi Electro Hydrostatic technology (hybrid) requires no screws or gearing. It differs from hydraulic actuators in that it requires no external hydraulic piping, thereby reducing cost and improving reliability. The system is fully self-contained as all hydraulic and electric components are highly integrated in the actuator assembly.

Servi Electro Hydrostatic Actuators receive power from an electric source by wire and transform a typically electronic input command signal into motion. EHA uses fluidic transmission between the electric motor and actuator. Motors rotate only when movement is demanded, saving energy and wear. The speed or force can be controlled stepless in both directions with use of frequency regulated el. motor or a DC motor.

## WHERE TO USE HYBRID CYLINDERS



CRANES



VARIOUS PRESSES



**FERRIES** 



FERRY DOCKS



HATCES



MISC. INDUSTRY



HYDRO POWER PLANTS



PITCH CONTROLS



A-FRAMES



MINING

## PISTON ACCUMULATORS



#### **PISTON ACCUMULATORS - CUSTOM DESIGN**

We design and manufacture piston accumulators according to specific customer requirements, in most materials, such as AISI 316, Super Duplex and Inconel, in addition to standard and high tensile carbon steels. We also offer special subsea piston accumulators, as well as subsea compensators

The accumulators are manufactured in dimensions ranging from  $\emptyset$  40 to  $\emptyset$  1500 mm internal diameter with maximum working pressures up to 3000 bar.

#### **APPROVALS**

Accumulators with volumes over 1 liter are CE certified in accordance with PED.

In addition, we can deliver accumulators with ABS, DNV-GL, Lloyds, BV and other approvals on request.

#### **PISTON ACCUMULATORS - STANDARD RANGE**

We have a wide range of standard piston accumulators available in carbon or stainless steel, with up to 350 bar working pressure and 400 liter volume.


#### **ACCESSORIES & OPTIONS**

Both the custom and the standard ranges are available with piston position indication systems, bursting discs, safety blocks, special paint systems, stainless steel clamps and other accessories.

#### **MANUFACTURER**

## OVERHAUL AND REPAIR OF CYLINDERS AND ACCUMULATORS





SERVIs department in Rissa has extensive experience in repairing and servicing all types of cylinders, accumulators and hydraulic dampers.

We machine and hone cylinder tubes, overhaul piston rods, and perform desired upgrades and improvements to existing products. We can also perform design changes with new technical calculations and updated drawings and documentation.

#### BEFORE AND AFTER OVERHAUL (see picture above)

After an overhaul at the factory in Rissa, we provide a new guarantee on the product.

We also take on small service assignments, such as inspections and seal changes, at our other six service centres - as well as on-site at the customer's location, if possible.

A large stock of spare parts, including seals, ensures a short turnaround time for repaired cylinders and accumulators.

#### **TOP MODERN MACHINERY**

The cylinder factory in Rissa is Norway's largest, and has state of the art facilities for manufacturing, honing and other services on cylinders and accumulators.

We do cylinders ranging from Ø20 mm to Ø1500 mm, with lengths up to 20,000 mm. When overhauling larger cylinders, honing is standard procedure!

#### MANUFACTURER

## SHOCK ABSORBERS



#### **ABSORBERS**

We supply a wide range of absorbers for a variety of purposes.

#### Examples

Crane shock absorbers, both with and without energy intake, also for subsea use. It should be mentioned that we deliver the "Crane master" to the company Ernst B. Johansen AS, which is also the licensee for this specialised crane. (www.cranemaster.no)

Subsea soft landing dampers used for placing modules and equipment onto the seabed.

Vibration absorbers for floors in sports centres etc.

End shock absorbers for crane/trolley motions

Shock Absorbers for Parawan Winch systems on oil finding vessels (seismical); both tension and plunger type one- or two-step absorbers. These absorbers are the result of our close cooperation with the company Vestadvit AS. (www.vestadvit.no)

#### **HEAVE COMPENSATED CYLINDERS**

Active and passive top compensators in derricks for drilling rigs, and combined active/passive heave compensation cylinders for crane/winch systems offshore and marine.

We deliver cylinders with ABS, DNV-GL, Lloyds, BV and other approvals on request.

#### **MANUFACTURER**

## PULSATION DAMPERS



#### **PULSATION DAMPERS**

Pulsation dampers reduce the pump pulsations in the system, causing substantial reduction of noise levels, especially on all kind of vessels (ships and rigs). In addition, they work well when installed in central hydraulic systems in factories.

Servi offers three models with different operating parameters. The most common is the Noisekiller, which is a standardised, maintenance-free solution suitable for pumps with frequencies > 100Hz.


Must be installed very close to the pump.


#### **ACCESSORIES**

Standard or stainless steel clamps.

#### **MANUFACTURER**

## CPU - COMPACT POWER UNIT WITH «CYCLONE» TANK





#### SAVE SPACE, MONEY AND THE ENVIRONMENT

Servi's «cyclone element» reduces the required oil tank volume by approx. 90 %. As a result, space requirements and weight are greatly reduced.

Using conventional equipment, a hydraulic power pack with a 500 L/min pump capacity would be supplied with an oil tank of 1800/1500 litres. In comparison, the cyclone power pack oil tank will be reduced to approx. gross/net 150 litres with same pump capacity.

Such a reduction in volume and weight enables whole new way of thinking regarding the location of the hydraulic plant. Traditionally, the oil tank has been the deciding factor when placing the power pack.


2-,3-,4-station layout will be available with a wide range of flow out-puts.



#### **MANUFACTURER**

Serv

## STANDARD HYDRAULIC POWER PACK



#### HYDRAULIC POWER PACK WITH CONVENTIONAL OIL TANK

The Servi standard hydraulic power pack has a basic design which gives great flexibility in the choice of system pressure and oil flow. It can be equipped with several optional pumpmotor designs, and be customised according to the needs of the customer when it comes to additional equipment such as valve design, control cabinet, coolers or other desired products.

Servi standard Power Packs are available in the following sizes					
Pump flow (I/min)		Pump Displacement	Number of pumps	Tank volume	
w/1450 RPM	w/1750 RPM	cm³/rev.		(litre)	
183	221	130	1	600	
201	340	200	1	1200	
366	441	130	2	1200	
549	662	130	3	1800	
780	917	270	2	2800	
844	1019	200	3	2800	
1139	1375	270	3	3600	

#### **MANUFACTURER**

## CUSTOM MADE HYDRAULIC SYSTEMS



#### **HIGH PRODUCT AND APPLICATION KNOWLEDGE**

This, combined with top quality products enables us to design and manufacture optimal solutions based on customer specifications, taking both technical and commercial considerations into account.

Using our product program, we are able to solve most tasks using standard components. When needed, we design customised solutions.

Servi is Norway's largest producer of hydraulic systems, including control systems, with production facilities in Trondheim, Ski, Kongsberg, Ulsteinvik, Kristiansand and Rissa.

Our system of Quality Assurance enables us to deliver highly reliable solutions, including drawings and final documentation.

#### **MANUFACTURER**

## DIESEL HYDRAULIC POWER PACKS





#### **DIESEL HYDRAULIC POWER PACKS**

Custom made Diesel hydraulic Power Packs, also available for EX-zones. Container based solution.

Pump flow and maximum pressure according to customer specifications.

**MANUFACTURER** 

Serv

## SERVI LIFE CYCLE SERVICES (SLS)



#### **SERVICE, OPERATION AND MAINTENANCE**

We provide both emergency service and component service assignments on products manufactured by us and others. Additionally, we offer:

- Top competence and modern equipment for tests and repairs
- Close cooperation with the factory ensuring optimum quality on the work undertaken  $\,$
- Repairs with full testing giving customer guarantee on the work undertaken
- Testing according to factory specifications ensuring optimum machine performance
- Laboratory services, and remote monitoring of hydrauclic installations
- Complete systems and parts in stock enabling short response times

Servi has service locations in Ski, Kristiansand, Bergen, Ulsteinvik, Trondheim and Rissa. We are available 24/7, by calling +47 64 97 97 00.

#### SUPPLIER

## SERVITEST CENTER (STC)



#### **SERVI'S REPAIR AND TEST CENTER**

Servi is certified by leading hydraulics manufacturers, including Kawasaki, Eaton Vickers, Hawe and Moog, and performs repairs on their behalf. Furthermore, we perform repairs on components from most known suppliers.

Our customers expect more than 'just' a repair. In Servi Test Center, we are able to verify and document the function and performance of repaired pumps, valves and motors by performing pressure and function testing.

The test center enables us to ensure that the quality of repaired components meet our customers' expectations.

Maximum oil flow 2000 lpm Maximum pressure 350 bar.

Maximum oil flow 30 lpm. Maximum pressure 700 bar.

#### **SUPPLIER**

## LABORATORY SERVICES





#### **OIL ANALYSIS AND CONSULTING**

Servi offers condition monitoring and lubrication technical advice.

- Both standard and customized analyses with application specific thresholds
- We consider oil as an information carrier for machine diagnostics
- advisory services on oil maintenance, environmentally acceptable lubricants and establishing contamination thresholds
- Interdisciplinary expertise in the interpretation of the lab findings, and how critical specific deviations may be
- Microbial analyses of fuel, metal working fluids and other petroleum products
- Reports from Servi summarises all primary data in a easy to grasp format
- Upon request, Servi can participate in more comprehensive projects, such as the evaluation of environmentally friendly lubricants for specific applications
- If there is a need for urgent assistance, we are more than happy to help, also outside normal working hours

SUPPLIER

## REMOTE MONITORING OF HYDRAULIC INSTALLATIONS



#### TAKE CONTROL OF OIL QUALITY OF MACHINE

Reduce "downtime" and cost of installing equipment for condition monitoring of hydraulic and lubricating oil. It enables you to:

- Detecting errors in an early stage
- Plan maintenance (service on demand)
- Detecting misfuelling
- Prevent tracking errors at fault in the system
- Performing oil change when needed, not on interval

**MANUFACTURER** 

Argo-Hytos

### PUMPS AND MOTORS







#### **PUMPS**

Vane, piston (axial and radial), gear, and internal gear pumps. Both fixed and variable displacement pumps.

Displacement 1 to 1000 cm³/rev Maximum working pressure 1000 bar.

We also supply hand pumps with and without tanks.

### CLOSED CIRCUIT AXIAL PISTON PUMPS

Piston pumps with a large range of control options.
Pressures up to 420 bar.
Supplied as single and double pumps. Displacement 20 to 1000 cm³/rev.

### MOTORS AND ROTARY ACTUATORS

Axial piston, radial piston, gear, gerotor/geroler motors and rotary actuators. Supplied with fixed or variable displacement from 1 to 45000 cm<sup>3</sup>/rev. Maximum working pressure 400 bar. Standard rotary actuators up to 350.000 Nm.

#### **MANUFACTURERS**

Eaton (Vickers, Hydrokraft)

Kawasaki

Linda

Moog

Marzocchi

Atos

Hawe

#### **MANUFACTURER**

Eaton (Vickers, Hydrokraft)
Linde

#### **MANUFACTURERS**

Eaton (Vickers, Hydrokraft) Kawasaki (Staffa)

Lind

Ducho

Marzocchi

viai zucc

HKS

## **VALVES**







#### ELECTRICALLY AND/OR MANUALLY OPERATED DIRECTIONAL VALVES

Available in NG 6, 10, 16, 25 and 32. Maximum oil flow 1500 liters/min. Maximum working pressure 400 bar. Certified for ATEX zone 1. Can be supplied in all stainless steel or combinations of materials.

#### ELECTRICALLY AND/OR MANUALLY OPERATED SERVO AND PROPORTIONAL VALVES

Certified for ATEX zone 1 with or without integrated electronics.

### SCREW-IN AND SLIP-IN CARTRIDGE VALVES

For use in block systems.
Certified for ATEX zone 1, either as on/off or for proportional control.
For regulating flow, pressure or direction.

Cartridge valves are supplied in sizes from NG16 to NG180.

Maximum working pressure 400 bar.

#### **MANUFACTURERS**

Servi Hydranor Eaton Vickers Hawe Atos Aroflex

#### **MANUFACTURERS**

Servi Hydranor HAWE Eaton Vickers Moog Hydrolux Atos

#### **MANUFACTURERS**

Sun Moog Hydrolux Eaton Atos HAWE

## **ELECTRONICS FOR** PUMPS AND VALVES







#### **ELECTRONICS FOR PUMPS AND VALVES**

For digital monitoring and control of pumps and valves.

Electrical amplifiers convert low-current control signals into signals for driving solenoids or proportional pressure controllers.

Regulators and monitors, including speed, temperature and pressure sensors, help close the control loop to provide precise

#### **DIGITAL CONTROLLER**

Amplifiers can be delivered mounted «onboard» the valve or as a standalone unit.

A digital control card for analog (4-20 mA or O-10 V) or Profibus control signal is integrated in the system.

Can be delivered with or without ATEX approval for EX-Zone I.

#### **MANUFACTURERS**

Moog

Atos

#### **MANUFACTURERS**

## STANDARD CYLINDERS AND ACCUMULATORS





#### **CYLINDERS**

Standard cylinders in diameters up to  $\emptyset$  400mm . Special cylinders manufactured according to customer specifications, in diameters up to  $\emptyset$  1500 mm and 20 m stroke in all finishes – position indicator optional.

You can design your own CD25 using our online drawing tool - www.servicatalogue.com

#### **ACCUMULATORS**

Bladder, piston and membrane accumulators, supplied in a range of different materials. Standard and custom made options.

Additionally, we supply various types of custom made shock absorbers and compensators.

#### **MANUFACTURERS**

Servi (Cylinderservice) Hystat

#### **MANUFACTURERS**

Hystat Hydroll EPE

PMC Cylinders

## HEAT EXCHANGERS









#### **AIR/OIL COOLERS**

Air/oil coolers with AC, DC and Hydraulic drive fan cooling systems. Heavy Duty versions for offshore & marine use in addition to ATEX approved coolers. Pressures up to 50 bar.

#### **BOX COOLERS**

Efficient water cooling system for all ships. Used to cool main propulsion and auxiliary engines as well as hydraulics, HVAC and other applications.

#### **COMPACT TUBE COOLERS**

Standard design shell and tube heat exchangers. The Compact series, saves up to 40% in size. For fresh and seawater based cooling of water or oils.

#### **PLATE COOLERS**

Plate & frame (gasketed) or brazed plate heat exchangers as well as welded plates. Suitable for Oil cooling, HVAC, heaters and cooling of main or auxiliary engines.

#### **MANUFACTURERS**

ASA Hydraulik Universal Hydraulik

#### **MANUFACTURERS**

KELVION (GEA Bloksma)

#### **MANUFACTURERS**


KELVION (GEA Bloksma)

#### **MANUFACTURERS**

KELVION (GEA)

# HIGH PRESSURE COMPONENTS





## **HIGH PRESSURE PUMPS**

Designed for offshore and subsea applications.
Available in stainless steel.
Maximum working pressure 1380 bar, pump capacity up to 227 l/min and maximum speed 1800 rpm.
Suitable for low viscosity fluids and certified for ATEX zone 1.

### **HIGH PRESSURE VALVES**

NG6 and NG10 directional valves. Available as pressure relief and flow control valves. Maximum working pressure 1040 bar. For ATEX zone 1.

## **MANUFACTURER**

Dynex Oilgear

# OIL ANALYSIS AND CONDITION MONITORING





## **SERVI DYNASAMP**

The most accurate high pressure fluid sampler on the market!

- Draws representative samples
- Enables sampling under pressure and full machine operation
- Operator independent, versatile and easy to-use
- Ensures repeatable samples
- Secure water and air content monitoring
- Injector for biocides or other fluids
- Can be operated with automatic sampling, controlled by the machine load
- Adaptable for multiplex sampling
- Available in aluminium, stainless steel, duplex, super duplex or titanium
- A large variety of port sizes avilable
- Type approved by Lloyd's Register

## **MANUFACTURER**

Serv

## COMPONENTS FOR REMOTE CONTROLLING HYDRAULIC SYSTEMS

### Sensors

- Particle Content
- Water content
- Temperature
- Viscosity
- Oil life / calculates time for oil change

## Historical and real time data

These can be displayed and "trended" on a local control panel of the machine, or remotely monitored via the Internet. Alarm limits can be adjusted, and alarms can be signaled locally, via e-mail or SMS.

## **MANUFACTURERS**

Argo-Hytos MP Filtri

# MEASURING EQUIPMENT AND OIL CLEANING







## **MEASURING EQUIPMENT**

Advanced measuring equipment for measuring pressure, flow, temperature and speed. The data can be stored locally or be transferred to computer.

## **OIL CLEANING**

Electrostatic cleaning for oil and system.

Removes contaminants as oxydation-

products. Removes water from 500 ppm (0.05%) and less.

The difference between clean oil and almost clean oil can be measured by money saved.

## **FILTERS**

Standard filterws up to 560 bar available in stainless steel. Pressures up to 1000 bar. Maximum capacity 7000 l/min.

## **MANUFACTURER**

Hydrotechnik

## **MANUFACTURER**

Kleentek

## **MANUFACTURERS**

MP Filtri Eaton Internormen Servi Argo-Hytos

# VALVE PROGRAM





## **PNEUMATIC VALVES**

The valves are supplied in dimensions ranging from M5 to 2 1/2". We supply valve blocks according to customer requirements. The blocks can be supplied with various w. links or BUS systems.

## **PNEUMATIC VALVES AISI 316**

We supply mechanic, manual, air controlled and electric valves in AISI 316. The valves are supplied with Ex coils in all categories. Sizes up to 1" BSP or NPT. All valves can be delivered with certification.

## **MANUFACTURERS**

Metal Work Flo Control Servi

# AIR TREATMENT FRL AND GRIPPERS





## AIR TREATMENT FRL

In addition to regulators, lubrication equipment and regular filters, we also have a wide range of micro and coalescing filters.

Dimensions:

Filters from 1/8 to 6" (flange mounted) Regulators from 1/8 to 2". Lubricators from 1/8 to 2".

We also supply distribution blocks, shutoff valves, soft starters, combined soft start / emergency safety stop, electronic regulators, air dryers and air treatment equipment in AISI 316, in addition to complete breathing air systems.

## **GRIPPERS AND MODULES**

PHD supplies high quality components including rotary cylinders, "pick-and-place" units, grippers, sliding guides, etc.

The units can be supplied metrical or imperial, with optional pneumatic and hydraulic power up to 200 bar.

## **MANUFACTURERS**

Metal Work Wilkerson

## **MANUFACTURER**

PHD

## CYLINDER PROGRAM





## **PNEUMATIC CYLINDERS**

Our range of cylinders include VDMA, ISO, compact, lathe, rotating, no piston rod, proportional and positioning cylinders. We can also supply special cylinders according to customer specifications.

## **PNEUMATIC CYLINDERS IN AISI 316**

We supply a variety of cylinders in AISI 316 for a wide range of applications including offshore and food industries. We can supply anything from compact units to ISO (Cetop and VDMA) standards.

Special versions for high temperatures.

All cylinders can be supplied with certification.

## **MANUFACTURERS**

Metal Work Bimba Tol-O-Matic Pimatic

# MOTORS AND SHOCK ABSORBERS







### **AIR MOTORS**

Vane or radial piston motors.
Flange or foot mounted.
The units can be fitted with gears and brakes.
Vane motor effect from 0.2 kW to 8 kW.
Radial piston motor effect from 0.8 kW to 23 kW.

## **SHOCK ABSORBERS AND VIBRATION ISOLATION**

Hydraulic shock absorbers for industry, shock and vibration isolation.

The program includes bellow cylinders and special products for use within the following areas: industry, offshore, marine, electronics, aviation and military. purposes.

## **MANUFACTURERS**

Fenner/SPX Globe

## **MANUFACTURER**

ITT/Enidine

# SUCTION CUPS AND PUMPS





## **SUCTION CUPS**

Sizes from 1 to 600 mm.
Bellow, flat, oval and rectangular.
Many different materials and fittings.
Separate program for the printing industry.

## **VACUUM PUMPS**

Multistage air-driven ejector pump. No moving parts, heat or vibration. Low weight and noise. Many sizes, materials and vacuum levels.

## **MANUFACTURERS**

Vmeca

## **MANUFACTURER**

Vmeca

## GRIPPER SYSTEMS





## **V-GRIP SYSTEM**

The unit has excellent gripping capabilities on both even and uneven surfaces (cardboard, pipes, profiles, castings etc.)
The lifting plate has a flexible foam layer or suction cups which aids gripping. The unit has numerous openings with check valves. The V-Grip can also be supplied without ejectors, in which case it can be connected to an external vacuum source.

- The V-Grip can be supplied in the following measurements width 80, 130, 200 and 300 mm; length from 150 to 1200 mm.
- The unit is supplied with 2 to 8 pcs of vacuum cartridges.
- Minimal air consumption, 64-832 NI/min.
- Maximum vacuum is -75 kPa.
- The noise level is as low as 55-65 dBA.
- The V-Grip can be supplied with on/off valve, release valve and vacuum switch.
- No moving parts and low unit weight
- Special models available on request

## **MAGIC GRIPPER SYSTEM**

- Easy make a vacuum system
- Quick release without release control valve
- Apply for various application with Magic Cup technology
- Fast response & High performance
- VMECA Multi stage vacuum cartridge integrated
- Individual vacuum system
- Various model option for selection according to flow rate
- Low energy consumption
- Large vacuum flow
- Saving cost and time for building vacuum system
- Easy mounting

## **MANUFACTURER**

Vmeca

## BEARINGS

## GGB

We stock bearings from the well-known supplier GGB (formerly Glacier Garlock Bearings). Slide bearings are available as straight bushings, flanged bushings, thrust washers, plates, and in special design. The sliding layer consists of PTFE or other polymers or graphite, either using a metal backing or the sliding material throughout the item. The product's lifetime can be estimated taking into account load, speed, number of wear kilometers, roughness, temperature and environment.





# **GGB** Type: GGB-CBM<sup>™</sup> **SELF-LUBRICATED AND MAINTENANCE-FREE**stainless steel bearings with solid lubricant graph

stainless steel bearings with solid lubricant graphite sliding layer. Self-lubricating, high load capacity, broad temperature range and corrosion resistance.

**GGB** Type: GGB-CSM™

## SELF-LUBRICATED AND MAINTENANCE-FREE

bearings of solid lubricant (graphite, MoS2) thorough a metal matrix. Self-lubricating, high load capacity, broad temperature range and corrosion resistance.



## **«CEROBEAR» CERAMIC ROLLER BEARINGS**

When conventional steel roller bearings do not function satisfactorily, due to:

- -Extreme loads, speeds and/or acceleration
- -Poor or no lubrication
- -Highly corrosive environments
- -Abrasive pollution
- -Ultra-low friction requirements
- -Long lifetime requirements

## The solution is Ceramic or Hybrid bearings!

Cerobear is a German manufacturer of high-precision bearings in ceramic materials, often combined with raceways in high quality steel, so-called hybrid bearings.

## BEARINGS


## GGB

Tell us about the environment in which the bearings should work, surface pressure they must endure, life expectancy and whether they should be lubricated or not. SERVIs application engineers will help you choose the right GGB bearing. Take advantage of our knowledge based on 60 years of experience.









## **GGB** Type: DU® og DUB™ **SELF-LUBRICATING AND MAINTENANCE-FREE**

The industry's first choice for 50 years. Low friction without lubrication.

## GGB Type: DP4™ SELF-LUBRICATING OR OIL LUBRICATED

Lead-free alternative to DU. Low friction with or without

## GGB Type: GAR-MAX™ SELF-LUBRICATING FILAMENT WOUND

Fiberglass-impregnated, epoxy backing with a variety of low-friction wear-resistant bearing linings.

# GGB Type: HPMB™ SELF-LUBRICATING FIBER REINFORCED COMPOSITE

For dry and water lubricated applications. Machinable composite material, high loads, tight clearance and slow rotating or oscillatory movements.

# ELECTROMECHANIC LINEAR ACTUATORS



## **LINEAR ACTUATORS**

Lifting capasity 300 kN Speed up to 1600 mm/sec Stroke length up to 2500 mm

- Actuators with integrated servo motor
- Actuators with integrated servo motor and drive
- Actuators for Ex zone
- Actuators in stainless steel

We can also deliver solutions based on customer specifications.

## **MANUFACTURERS**

Servi, Moog, Exlar

## MOTORS AND DRIVES





## **SERVO MOTORS**

Continuous moment above 1000 Nm Speed over 10 000 r/min

- -Gears optional
- -Servo motors for Ex zone
- -Can be liquid cooled to increase the effect
- -Servo motors in stainless steel

## **DRIVES**

An AC drive controls the application by continuously adjusting the motor speed. This results in reduced energy usage and prevents unnecessary wear of the equipment. SERVI offers a wide product range.

Direct torque control and built-in shaft power monitoring are examples of premium features of AC drives. Direct torque control is considered an excellent method to control motor speed and torque and enables optimal usage of the motor.

## **MANUFACTURERS**

Moog, Exlar, CG

# MARINE WIPERS AND EQUIPMENT









## **WIPER SYSTEMS**

From the world's leading manufacturer of "clear vision" equipment for ships and industrial use - Hepworth Marine. Includes "Straight Line", pantograph and pendulum wipers, as well as rotating windows. Ensures high quality results and unbeatable reliability in all conditions. Spare parts are available worldwide. This makes Servia reliable name within shipping.

## **SERVI VISION CONTROL**

Servi Vision Control is the most reliable and advanced control system made for wipers you can find in the marked today and still for an affordable price.

- SVC can communicate and corp rate with most of other type of co trol system.
- Maximum amount of wipers 250.
- You can have your own logo or your own design on the touch screens.
- You can choose between various type of ways to control your wipers, navigation lights, horns, deck lights, heaters, pumps interior light with dimmers etc.
- Examples:
- -Touchscreens
- Buttons
- Foot pedals
- External screens (HMI/ Windows) or combinations of these

## **OBSERVATOR SUNSCREENS**

Film specifications

- Sheet thickness 100  $\mu\text{m}$
- Layers 3
- Visible light transm. 8.3%
- Visible light refl. 8%
- Glare reduction 91%
- UV transmission <1%
- Solar energy refl. 22.4%
- Solar energy abs. 57.0%
- Total energy rej. 63.4%

## **KAHLENBERG HORN**


Kahlenberg Commercial Marine Horns and Accessories For all size vessels Both electrical and pneumatic driven

## **MANUFACTURER**

Hepworth Marine Servi Ulsteinvik

## OFFSHORE WIPER SYSTEMS





## ATEX APPROVED PNEUMATIC WIPERS AND FLUSHING SYSTEMS MANUFACTURED BY SERVI

Cost-effectiveness, long product lifetime, simple installation and low use of air. Systems supplied to the international oil industry for more than 20 years.

## Pneumatic "Straight Line" wipers

Pneumatic "Straight Line" wipers are certified for use in Gas Zone 1. Servi designs and manufactures custom made pneumatic wiper and flushing systems for use in driller's cabins, cranes, helicopters etc.

Components are made of sea water resistant, extruded aluminum profiles. An integrated brush keeps mud from polluting the power unit.

The wipers have an automatic self parking system, and can be installed above, underneath or next to the window. Easy maintenance and installation.

## Pantograph wipers

An extra strong power unit ensures stability and long service life. Adjustable pitch angle. The wipers are supplied with an automatic self parking system, and can be installed above, underneath or next to the window. Supplied with stainless arms and "heavy duty" wiper blades.

## **MANUFACTURER**

Serv

# TEST EQUIPMENT FOR THE CONSTRUCTION INDUSTRY





For more than 30 years, Servi has supplied test equipment to the construction industry.

We offer a wide range of products within testing of cement, concrete, asphalt and aggregates.

Our experience and supplier network enable us to meet the needs of each individual customer.

## ELECTRONIC SCALES AND WEIGHTS FOR CALIBRATION

We supply laboratory scales, precision scales and platform scales for use in industry and laboratories.

## **MANUFACTURERS**

Form+Test Prüfsysteme Proceq Endecotts Matest Shinko Denshi

## **MANUFACTURER**

Shinko Denshi

## INDUSTRIAL VIBRATORS





## **PNEUMATIC VIBRATORS**

Small units with excellent power-to-weight ratio. Easy and cost-effective speed adjustment. Solid construction with few moving parts ensures low maintenance and a long service life for the products. No risk of explosion.

## **ELECTRIC VIBRATORS**

Our delivery program contains a wide assortment of electrically operated vibration motors. We offer centrifugal power in sizes from 40 N to 60 kN, and models with 3000, 1500 or 750 rev/min. Some vibrators can be supplied in explosion proof design (ATEX).

## **MANUFACTURER**

indova

## **MANUFACTURER**

Würges

# www.servi.no www.servicatalogue.com

## **SERVI GROUP**

Rasmus Solbergs vei 1 P.O.Box 3230

T+47 64 97 97 97

#### **SERVIAS**

Reg. no.: NO 936 370 446 MVA

Rasmus Solbergs vei 1 P.O.Box 3230 1402 Ski T +47 64 97 97 97

5309 KLEPPESTØ T+47 55 10 82 20

Bergmannsveien 241 **3615 Kongsberg** T +47 48 06 56 56

7093 Tiller

Sagmyra 25 **4624 Kristiansand** T +47 38 10 22 90

Kvithyllveien 193 **7100 Rissa** Norway T +47 73 85 05 00 **3112 Tønsberg** T +47 90 13 43 43

Gdansk / Polen Lucasz Konarzewski T +48 696 739 100

### **SERVI ULSTEINVIK AS**

**Reg. no.:** NO 979 185 901 MVA

6065 Ulsteinvik

Langelandsvegen 2 6018 Ålesund

## **SERVI HYDRAULIK AB**

Lilla Bommen 6 411 04 Gothenburg

Tlf +47 924 65 659

## **COMPANIES REPRESENTING SERVI:**

## **POWERTECH**

Unit 5C, 5/F, Cheung Kong 5 Cheung Shun St., Cheung Sha Wan Kowloon, Hong Kong T (852)2612-0482

#### **HYDROFIT FZE INTERNATIONAL LTD**

Newton Aycliffe, Co. Durham DL5 6BF England, UK T +44 1325 321345

## PMC FLUIDTRONIC

Vitoria ES - Brazil T/F +55 (27) 3227-2305 M +55 (27) 8121-5500

## BASIC HYDRAULICS (PTY) LTD

Unit 11 Foregate Square Cape Town 8001, South Africa

## **POWER & MOTION CONTROL PTE LTD**

Singapore 628584



SERVI GROUP Rasmus Solbergs vei 1 P.O.Box 3230 1402 Ski

T +47 64 97 97 97 post@servi.no

